

Science News

[Share](#) [Blog](#) [Cite](#)

[Print](#) [Email](#) [Bookmark](#)

Charcoal Takes Some Heat Off Global Warming: Biochar Can Offset 1.8 Billion Metric Tons of Carbon Emissions Annually

ScienceDaily (Aug. 12, 2010) — As much as 12 percent of the world's human-caused greenhouse gas emissions could be sustainably offset by producing biochar, a charcoal-like substance made from plants and other organic materials. That's more than what could be offset if the same plants and materials were burned to generate energy, concludes a study published August 10 in the journal *Nature Communications*.

See Also:

Plants & Animals

- [Soil Types](#)
- [Agriculture and Food](#)
- [Nature](#)

Earth & Climate

- [Global Warming](#)
- [Energy and the Environment](#)
- [Environmental Issues](#)

Reference

- [Humus](#)
- [Carbon cycle](#)
- [Consensus of scientists regarding global warming](#)
- [Carbon dioxide sink](#)

Perrott of Swansea University in Wales, U.K., Johannes Lehmann of Cornell University in Ithaca, N.Y., Stephen Joseph of the University of New South Wales, Australia, and Amonette.

Biochar is made by decomposing biomass like plants, wood and other organic materials at high temperature in a process called slow pyrolysis. Normally, biomass breaks down and releases its carbon into the atmosphere within a decade or two. But biochar is more stable and can hold onto its carbon for hundreds or even thousands of years, keeping greenhouse gases like carbon dioxide out of the air longer. Other biochar benefits include: improving soils by increasing their ability to retain water and nutrients; decreasing nitrous oxide and methane emissions from the soil into which it is tilled; and, during the slow pyrolysis process, producing some bio-based gas and oil that can offset emissions from fossil fuels.

Making biochar sustainably requires heating mostly residual biomass with modern technologies that recover energy created during biochar's production and eliminate the emissions of methane and nitrous oxide, the study also noted.

Crunching numbers and biomass

For their study, the researchers looked to the world's sources of biomass that aren't already being used by humans as food. For example, they considered the world's supply of corn leaves and stalks, rice husks, livestock manure and yard trimmings, to name a few. The researchers then calculated the carbon content of that biomass and how much of each source could realistically be used for biochar production.

With this information, they developed a mathematical model that could account for three possible scenarios. In one, the maximum possible amount of biochar was made by using all sustainably available biomass. Another scenario involved a minimal amount of biomass being converted into biochar, while the third offered a middle course. The maximum scenario required significant changes to the way the entire planet manages biomass, while the minimal scenario limited biochar production to using biomass residues and wastes that are



Biochar made from dairy manure pellets at the Department of Agriculture's Agricultural Research Station in Prosser, Wash. (Credit: Photo courtesy of USDA-ARS, Prosser, Wash)

Ads by Google

Clay Soil

Find Info On Clay Soil & Get Tips From Gardening Specialists.
Topicologist.com

Gleason Geothermal Solar

Solar PV and Solar Thermal Design, Sales and Installation
www.gleasongeothermal.com

Biomass Pumps

Reliable metering for apps from microflow to scale-up & pilot plant
www.isco.com

CleanEnergy

Turnkey geothermal for any building Save up to 70% on heating and A/C
www.cleanenergydevelopments.com

Related Stories

From the Ancient Amazonian Indians: 'Biochar' as a Modern Weapon Against Global Warming

(Jan. 14, 2010) — Scientists are reporting that "biochar" -- a material that the Amazonian Indians used to enhance soil fertility centuries ago -- has potential in the modern world to help slow global climate change. ... [> read more](#)

Limitations Of Charcoal As An Effective Carbon Sink

(May 4, 2008) — Fire-derived charcoal is thought to be an important carbon sink. However, a new article in *Science* shows that charcoal promotes soil microbes and causes a large loss of soil carbon. There has been ... [> read more](#)

Simpler Way To Counter Global Warming Explained: Lock Up Carbon In Soil And Use Bioenergy Exhaust Gases For Energy

(May 12, 2007) — Writing in the journal *Nature*, a Cornell biogeochemist describes an economical and efficient way to help offset global warming: Pull carbon dioxide out of the atmosphere by charring, or partially ... [> read more](#)


Is Biochar the Answer for Agriculture? Long-Term Study Digs Up New Information on Biochar's Ability to Reduce Nitrous Oxide Emissions from Soils

(Aug. 9, 2010) — Scientists have found that over several months, biochar applied to soil can significantly reduce emissions of nitrous oxide and leaching of ... [> read more](#)

Just In:

Noise Pollution in Ocean Can Lead Fish Astray

Science Video News



Tracking CO2

Biogeochemists located where the most carbon dioxide emissions occur in the U.S. using a new mapping system. With this program-available to anyone. ... [> full story](#)

[Environmental Engineers Use Algae To Capture Carbon Dioxide](#)

[Physicist Explains Benefits Of Carbon Dioxide](#)

[Mechanical Engineers Create High-tech Solar Panels](#)

[more science videos](#)



ie school of biology
Master in Global Environmental Change

Breaking News

... from NewsDaily.com

[Few Chernobyl radiation risks from Russia fires](#)

[U.S. judge bans planting of genetically engineered beets](#)

[Gene testing could have saved weight-loss drug](#)

[Nervous monkeys lend clues to childhood anxiety](#)

[Space station repair job makes headway](#)

[more science news](#)



In Other News ...

[Petraeus sees "areas of progress" in Afghan war](#)

[AgBank confirms green shoe as IPO hits record \\$22.1 billion](#)

[U.N. chief urges faster foreign aid for Pakistan](#)

[Obama swims in Gulf, says beaches open for business](#)

[Foreign troops deaths in Afghanistan pass 2,000](#)

[Apple manager](#)

billion metric tons -- of carbon emissions annually and a total of 130 billion metric tons throughout in the first 100 years. Avoided emissions include the greenhouse gases carbon dioxide, methane and nitrous oxide. The estimated annual maximum offset is 12 percent of the 15.4 billion metric tons of greenhouse gas emissions that human activity adds to the atmosphere each year. Researchers also calculated that the minimal scenario could sequester just under 1 billion metric tons annually and 65 billion metric tons during the same period.

But to achieve any of these offsets is no small task, Amonette noted.

"This can't be accomplished with half-hearted measures," Amonette said. "Using biochar to reduce greenhouse gas emissions at these levels is an ambitious project that requires significant commitments from the general public and government. We will need to change the way we value the carbon in biomass."

Experiencing the full benefits of biochar will take time. The researchers' model shows it will take several decades to ramp up biochar production to its maximum possible level. Greenhouse gas offsets would continue past the century mark, but Amonette and colleagues just calculated for the first 100 years.

Biochar and bioenergy work together

Instead of making biochar, biomass can also be burned to produce bioenergy from heat. Researchers found that burning the same amount of biomass used in their maximum biochar scenario would offset 107 billion metric tons of carbon emissions during the first century. The bioenergy offset, while substantial, was 23 metric tons less than the offset from biochar. Researchers attributed this difference to a positive feedback from the addition of biochar to soils. By improving soil conditions, biochar increases plant growth and therefore creates more biomass for biochar productions. Adding biochar to soils can also decrease nitrous oxide and methane emissions that are naturally released from soil.

However, Amonette and his co-authors wrote that a flexible approach including the production of biochar in some areas and bioenergy in others would create optimal greenhouse gas offsets. Their study showed that biochar would be most beneficial if it were tilled into the planet's poorest soils, such as those in the tropics and the Southeastern United States.

Those soils, which have lost their ability to hold onto nutrients during thousands of years of weathering, would become more fertile with the extra water and nutrients the biochar would help retain. Richer soils would increase the crop and biomass growth -- and future biochar sources -- in those areas. Adding biochar to the most infertile cropland would offset greenhouse gases by 60 percent more than if bioenergy were made using the same amount of biomass from that location, the researchers found.

On the other hand, the authors wrote that bioenergy production could be better suited for areas that already have rich soils -- such as the Midwest -- and that also rely on coal for energy. Their analysis showed that bioenergy production on fertile soils would offset the greenhouse gas emissions of coal-fired power plants by 16 to 22 percent more than biochar in the same situation.

Plantations need not apply

The study also shows how sustainable practices can make the biochar that creates these offsets.

"The scientific community has been split on biochar," Amonette acknowledged. "Some think it'll ruin biodiversity and require large biomass plantations. But our research shows that won't be the case if the right approach is taken."

The authors' estimates of avoided emissions were developed by assuming no agricultural or previously unmanaged lands will be converted for biomass crop production. Other sustainability criteria included leaving enough biomass residue on the soil to prevent erosion, not using crop residues currently eaten by livestock, not adding biochar made from treated building materials to agricultural soils and requiring that only modern pyrolysis technologies -- those that fully recover energy released during the process and eliminate soot, methane and nitrous oxide emissions -- be used for biochar production.

"Roughly half of biochar's climate-mitigation potential is due to

Former inhabitants of the Amazon Basin enriched their fields with charred organic materials-biochar-and transformed one of the earth's most infertile soils into one of the most productive. These ... > [read more](#)




Ancient Method, 'Black Gold Agriculture' May Revolutionize Farming, Curb Global Warming (Apr. 15, 2008)

— Fifteen hundred years ago, tribes people from the central Amazon basin mixed their soil with charcoal derived from animal bone and tree bark. Today, at the site of this charcoal deposit, scientists ... > [read more](#)



New Biomass Charcoal Heater: A 'New Era' Of Efficiency And Sustainability (Feb. 6, 2009)

— Millions of homes in rural areas of far Eastern countries are heated by charcoal burned on small, hibachi-style portable grills. Scientists in Japan are now reporting development of an improved ... > [read more](#)



Oceans Could Slurp Up Carbon Dioxide To Fight Global Warming (Nov. 20, 2007)

— Researchers are proposing a new method for reducing global warming that involves building a series of water treatment plants that enhance the ability of the ocean to absorb carbon dioxide from the ... > [read more](#)

Ads by Google

Soil Remediation/Removal

Let us do the dirty work! All contaminated soil properly removed
www.hilltopenterprises.com

[more top news](#)

Copyright Reuters 2008. See [Restrictions](#).

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

[Email Newsletters](#)

[RSS Newsfeeds](#)

Feedback ... we want to hear from you!

Tell us what you think of the new ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:

Click button to submit feedback:

Search ScienceDaily

Number of stories in archives: 89,871

sustainable potential.

The study was funded by the Department of Energy's Office of Science, DOE's Office of Fossil Energy, the Cooperative State Research Service of the Department of Agriculture, the New York State Energy Research and Development Authority, the United Kingdom's Natural Environment Research Council (NERC) and Economic and Social Research Council (ESRC), and VenEarth Group LLC.

Find with keyword(s):

Email or share this story: | [More](#)

Story Source:

The above story is reprinted (with editorial adaptations by *ScienceDaily* staff) from materials provided by [DOE/Pacific Northwest National Laboratory](#).

Journal Reference:

- Dominic Woolf, James E. Amonette, F. Alayne Street-Perrott, Johannes Lehmann, Stephen Joseph. **Sustainable biochar to mitigate global climate change.** *Nature Communications*, Aug. 10, 2010

Need to cite this story in your essay, paper, or report? Use one of the following formats:

- APA DOE/Pacific Northwest National Laboratory (2010, August 12). Charcoal takes some heat off global warming: Biochar can offset 1.8 billion metric tons of carbon emissions annually. *ScienceDaily*. Retrieved August 16, 2010, from <http://www.sciencedaily.com/releases/2010/08/100810122030.htm>
- MLA

Note: If no author is given, the source is cited instead.

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.